

## Graphs With Representation Number 3

J BASKAR BABUJEE<sup>1</sup>, G SURYA<sup>2</sup>

**ABSTRACT.** Let  $G = (V, E)$  be a graph with  $n$  vertices  $a_1, a_2, \dots, a_n$ .  $G$  is word representable if and only if there is a word  $w$  which letters correspond to vertices of  $G$  and  $(a_i, a_j) \in E$  for each  $a_i \neq a_j, (1 \leq i < j \leq n)$  if and only if  $a_i$  and  $a_j$  alternate in  $w$ . A graph  $G$  is word representable then it is  $l$ -word representable for some  $l$  (a word containing  $l$  copies of each letter). The minimum  $l$  for which a graph  $G$  is  $l$ -word-representable is called the representation number of  $G$ . In this paper we study the word representation of Book graph, Stacked Book graph along with its representation number.

**Keywords:** word-representable graph, book graph, representation number.

**AMS Subject Classification:** 05C62, 68R15.

---

Date of Submission: 12-06-2025

Date of Acceptance: 25-06-2025

---

### 1. INTRODUCTION

The theory of word representable graph was introduced in 2004 and many interesting results has been discussed in recent years by S. Kitev [4]. Since graph representation corresponds to any word  $w$  exists, but not the case that every graph is word-representable [4]. For example, the wheel graph  $W_{(2n+1)}, n \geq 2$  is non-word representable [4]. using semi-transitive orientation, one can easily determine whether a graph is word representable or not.

**Definition 1.1.** Let  $w$  be a word of length  $n$ . The letters  $x$  and  $y$  alternate in  $w$  if we obtain either a word  $xyxy\dots$  (of even or odd length) or a word  $yxyx\dots$  (of even or odd length) after deleting all other letters in  $w$  except the copies of  $x$  and  $y$ . A Graph  $G(V, E)$  represents a word  $w$  is defined as follows, the vertex set  $V(G)$  are the letters of  $w$  and an edge  $xy \in E(G)$  iff the letters  $x$  and  $y$  are alternate in  $w$ .

**Example 1.1.** The graph of the word  $w = 12312434$  is given below in figure 5.

---

<sup>1</sup>Department of Applied Sciences and Humanities, MIT campus, Anna University, Chennai-44, India. ,

<sup>2</sup>Department of Applied Sciences and Humanities, MIT campus, Anna University, Chennai-44, India. ,




FIGURE 1. Graph of  $w = 12312434$

**Example 1.2.** The word-representation of tree given in the following figure 6 is as follows:

step 1: 1212

Step 2: 123132

step 3: 12341432

step 4: 1234515432

step 5: 123451564632

step 6: 12345156747632

Therefore,  $w = 12345156747632$ .




FIGURE 2. Tree

**Definition 1.2.** A word is  $l$ -uniform if each letter in  $w$  occurs  $l$  times.

**Example 1.3.**  $12312434$  is a 2-uniform word, while  $2341$  is a 1-uniform word.

**Definition 1.3.** A graph is  $l$ -word-representable or  $k$ -representable if there exists a  $l$ -uniform word representing it.

**Definition 1.4.** Graph's representation number is the least  $l$  such that the graph is  $l$ -representable and it denoted by  $R(G)$ . A complete graph  $k_n$  is represented by the word  $123 \dots n$ . Therefore,  $R(k_n) = 1$

baskarbabujee@yahoo.com, suryamithra1990@gmail.com

Manuscript received XXXXXXXX 20XX.

The following table gives us the word representation and its representation number of some class of graphs.

S No	Graph	Word Representation	Representation number
1	Path Graph	1213243545. . . $n(n-1)n$	2
2	Cycle Graph	1n213243545. . . $n(n-1)$	2
3	Empty Graph	1234. . . $(n-1)nn(n-1). . .$ 4321	2
4	star Graph	1234. . . $(n-1)n1n(n-1). . .$ 432	2

**Definition 1.5.** Let  $G = (V, E)$  is semi-transitive if it admits an acyclic orientation such that for any directed path  $v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k$  with  $v_i \in V$  for all  $i, 1 \leq i \leq k$ , either there is no edge  $v_1 \rightarrow v_k$ , or the edge  $v_1 \rightarrow v_k$  is present and there are edges  $v_i \rightarrow v_j$  for all  $1 \leq i \leq j \leq k$ . (In other words, the (acyclic) subgraph induced by the vertices  $v_1, v_2, \dots, v_k$  is transitive (with unique starting vertex  $v_1$  and unique ending vertex  $v_k$ ). Such an orientation is called semi-transitive orientation.

**Theorem 1.1.** A graph  $G$  is word-representable if and only if it admits semi-transitive orientation.

Marc Glen et.al proved that, the crown graph  $H(n, n), n \geq 5$  is  $\lceil n/2 \rceil$ -representable which is bipartite having high representation number [2]. Section 2, contains a word representation of book graph  $B_m$ , a word construction expressing stacked book graph  $B_{(n,m)}$  and its representation number.

## 2. GRAPH WITH REPRESENTATION NUMBER 3

Book graphs play a significant role in graph theory and this is one of the complicated graphs to represent. Since book graphs are bipartite and bipartite graphs admits semi-transitive orientation. Therefore, book graphs are word-representable.

In this paper, completely solve the representation and representation number of book graphs and stacked book graphs.

The  $m$ -book graph is defined as the Cartesian product  $S_{m+1} \times P_2$ , Where  $S_{m+1}$  is a star graph with  $m$  vertex positions and  $P_2$  is a path graph with two vertex positions. The  $(m, n)$  - stacked book graph is a generalization of the book graph to  $n$  stacked pages.

**Theorem 2.1.** *Every Book graph  $B_m$  is 3 word-representable.*

*Proof.* The book graph  $B_m, m \geq 2$  can be represented by the word  $w_m$  to be constructed below. we begin with the 3-uniform word  $w_2 = a_2a_1b_2a_2b_1a_1b_2b_1a_2b_2a_1b_1$  which represents the cycle  $a_2a_1b_1b_2$ . Note that  $w_2$  contains the factor  $a_2a_1a_1$  and  $b_2b_1b_2$ . where  $a_i$  denotes the  $i$ -th occurrence of a letter  $a$  in the word. Add the path  $a_1a_3b_3b_1$  to the cycle in  $w_2$  using the third case in the proof of theorem (5.2.2 in [4]), namely the substitutions,  $a_1^1 \rightarrow a_3b_3a_1a_3$  and  $b_1^2 \rightarrow b_3b_1a_3b_3$  then,  $w_3 = a_2a_3b_3a_1a_3b_2a_2b_1a_1b_2b_3b_1a_3b_3a_2b_2a_1b_1$ . Generally, use the substitution  $a_1^1 \rightarrow a_ma_ma_1a_m$  and  $b_1^2 \rightarrow b_mb_1a_ma_m$  in  $w_{m-1}$ , we will obtain the word representation of book graph  $B_m$ . Hence every Book graph  $B_m$  is 3 word- representable.

m	Representation
2	$a_2a_3b_3a_1a_3b_2a_2b_1a_1b_2b_3b_1a_3b_3a_2b_2a_1b_1$
3	$a_2a_3b_3a_4b_4a_1a_4a_3b_2a_2b_1a_1b_2b_3b_4b_1a_4b_4a_3b_3a_2b_2a_1b_1$
4	$a_2a_3b_3a_4b_4a_5b_5a_1a_5a_4a_3b_2a_2b_1a_1b_2b_3b_4b_5b_1a_5b_5a_4b_4a_3b_3a_2b_2a_1b_1$

□

**Corollary 2.1.** *We have  $R(B_m) \leq 3$ , that is each book graph's representation number is at most 3. In the following two theorems we prove that each book graph's representation number is exactly 3.*

**Theorem 2.2.** *The representation number of book graph  $B_3$  is 3.*

*Proof.* By theorem 2.1 it remains to show that  $B_3$  is not 2-word representable. In our proof we refer the graph in figure 2. Suppose that  $B_3$  is 2-word representable by a word  $w$ . By the definition of  $B_3$ , there are exactly 3 neighbors of  $a_1$  and  $b_1$ . Let us try to find the word of  $B_3$  using 2 copies of each vertex. Due to the symmetry and proposition (3.2.7 in [4]) we may assume that the word starts with  $a_1$ . Let the

word  $w$  starts with  $w = a_1a_1 = a_1b_1a_1b_1$ . The following illustration provides that no word exists for  $B_3$  using 2 copies of each vertex from  $w$ .

- $a_1b_1a_1b_1 \rightarrow a_2a_1a_2b_1a_1b_1 \rightarrow b_1a_2a_1a_2b_1a_1 \rightarrow b_2b_1a_2b_2a_1a_2b_1a_1 \rightarrow b_2b_1a_2b_2a_3a_1a_3a_2b_1a_1$ .  
There is no factor  $a_3b_1$  to insert  $b_3$ .
- $a_1b_1a_1b_1 \rightarrow a_2a_1a_2b_1a_1b_1 \rightarrow b_1a_2a_1a_2b_1a_1 \rightarrow b_2b_1a_2b_2a_1a_2b_1a_1 \rightarrow b_2b_1a_2b_2a_1a_2b_1a_3a_1a_3 \rightarrow b_2b_1a_2b_2a_1a_2b_3b_1a_3b_3a_1a_3 \rightarrow b_2b_1a_2b_2a_1a_2b_3b_1a_3b_3a_4a_1a_4a_3$ . There is no factor  $a_4b_1$  to insert  $b_4$ .
- $a_1b_1a_1b_1 \rightarrow a_2a_1a_2b_1a_1b_1 \rightarrow b_1a_2a_1a_2b_1a_1 \rightarrow b_2b_1a_2b_2a_1a_2b_1a_1 \rightarrow b_2b_1a_2b_2a_1a_2b_1a_3a_1a_3 \rightarrow b_2b_1a_2b_2a_1a_2b_3b_1a_3b_3a_1a_3 \rightarrow b_2b_1a_2b_2a_4a_1a_4a_2b_3b_1a_3b_3a_1a_3$ . There is no factor  $a_4b_1$  to insert  $b_4$ .
- $a_1b_1a_1b_1 \rightarrow a_2a_1a_2b_1a_1b_1 \rightarrow b_1a_2a_1a_2b_1a_1 \rightarrow b_1a_2a_1b_2a_2b_1b_2a_1 \rightarrow b_1a_2a_3a_1a_3b_2a_2b_1b_2a_1$ . There is no factor  $a_3b_1$  to insert  $b_3$ .
- $a_1b_1a_1b_1 \rightarrow a_2a_1a_2b_1a_1b_1 \rightarrow b_1a_2a_1a_2b_1a_1 \rightarrow b_1a_2a_1b_2a_2b_1b_2a_1 \rightarrow a_3b_1a_2a_1b_2a_2b_1b_2a_3a_1 \rightarrow a_3b_1a_2a_1b_2a_2b_1b_2a_3a_4a_1a_4$ . There is no factor  $a_4b_1$  to insert  $b_4$ .
- $a_1b_1a_1b_1 \rightarrow a_2a_1a_2b_1a_1b_1 \rightarrow b_1a_2a_1a_2b_1a_1 \rightarrow b_1a_2a_1b_2a_2b_1b_2a_1 \rightarrow a_3b_1a_2a_1b_2a_2b_1b_2a_3a_1 \rightarrow a_3b_1a_2a_4a_1a_4b_2a_2b_1b_2a_3a_1$ . There is no factor  $a_4b_1$  to insert  $b_4$ .
- $a_1b_1a_1b_1 \rightarrow a_1b_1a_2a_1a_2b_1 \rightarrow a_1b_2b_1a_2b_2a_1a_2b_1 \rightarrow a_3a_1a_3b_2b_1a_2b_2a_1a_2b_1 \rightarrow b_1a_3a_1a_3b_2b_1a_2b_2a_1a_2 \rightarrow b_3b_1a_3b_3a_1a_3b_2b_1a_2b_2a_1a_2 \rightarrow b_3b_1a_3b_3a_4a_1a_4a_2$ . There is no factor  $a_4b_1$  to insert  $b_4$ .
- $a_1b_1a_1b_1 \rightarrow a_1b_1a_2a_1a_2b_1 \rightarrow a_1b_2b_1a_2b_2a_1a_2b_1 \rightarrow a_3a_1a_3b_2b_1a_2b_2a_1a_2b_1 \rightarrow b_1a_3a_1a_3b_2b_1a_2b_2a_1a_2 \rightarrow b_3b_1a_3b_3a_1a_3b_2b_1a_2b_2a_1a_2 \rightarrow b_3b_1a_3b_3a_1a_3b_2b_1a_2b_2a_4a_1a_4a_2$ .  
There is no factor  $a_4b_1$  to insert  $b_4$ .
- $a_1b_1a_1b_1 \rightarrow a_1b_1a_2a_1a_2b_1 \rightarrow a_1b_2b_1a_2b_2a_1a_2b_1 \rightarrow a_1b_2b_1a_2b_2a_3a_1a_3a_2b_1$ .  
There is no factor  $a_3b_1$  to insert  $b_3$ .
- $a_1b_1a_1b_1 \rightarrow a_1b_1a_2a_1a_2b_1 \rightarrow a_1b_1a_2a_1b_2a_2b_1b_2 \rightarrow a_1b_2b_1a_2b_2a_3a_1a_3a_2b_1$ .  
There is no factor  $a_3b_1$  to insert  $b_3$ .
- $a_1b_1a_1b_1 \rightarrow a_1b_1a_2a_1a_2b_1 \rightarrow a_1b_1a_2a_1b_2a_2b_1b_2 \rightarrow a_3a_1a_3b_2b_1a_2b_2a_1a_2b_1 \rightarrow b_1a_3a_1a_3b_2b_1a_2b_2a_1a_2 \rightarrow b_1a_3a_1a_3b_2b_1a_2b_2a_4a_1a_4a_2$ .  
There is no factor  $a_4b_1$  to insert  $b_4$ .

Also, if  $w$  represents  $G$  then the reverse of the word  $w$  also represents the same graph  $G$ . This implies we can conclude that there is no word exist using 2 copies of

each vertex (using table 3 and 4) if  $w$  starts with  $b_1$  ( $w = b_1b_1 = b_1a_1b_1a_1$ ) Therefore, the book graph  $B_3$  is not 2-word representable and by theorem 2.1,  $R(B_3) = 3$ .  $\square$

**Theorem 2.3.** For  $m \geq 3$ ,  $R(B_m) = 3$

*Proof.* By theorem 2.1, it remains to show that for  $m \geq 3$ ,  $B_m$  is not 2-word representable. By theorem 2.3 the representation number of book graph  $B_3$  is 3. Since every  $B_m$  contains the subgraph  $B_3$ . Therefore,  $B_m$  cannot be represented by 2-word representation. Hence  $R(B_m) = 3$ .  $\square$

**Theorem 2.4.** Every stacked book graph  $B_{m,n}$  is 3-word-representable.

*Proof.* The stacked book graph  $B_{m,n}$  with 3 stacks is presented figure 3,4,5. Let  $w_{m,n}$  be the word representing  $B_{m,n}$ . if  $n = 2$ , then  $B_{m,2} = B_m$ . By theorem 2.3.  $B_{m,2}$  is 3-word-representable. Let us derive the word  $w_{2,3}$  from  $w_{2,2}$ .




FIGURE 3. Book Graph  $B_2, B_{2,3}$





FIGURE 4. Book Graph  $B_3, B_{3,3}$




 FIGURE 5. Book Graph  $B_4, B_{4,3}$ 

Since  $w_{2,2} = a_{12}a_{13}a_{23}a_{11}a_{13}a_{22}a_{12}a_{21}a_{11}a_{22}a_{23}a_{21}a_{13}a_{23}a_{12}a_{22}a_{11}a_{21}$ . Now add the paths  $a_{21}a_{31}a_{32}a_{22}$  and  $a_{21}a_{31}a_{33}a_{23}$  to  $w_{2,2}$ . In  $w_{2,2}$ , we have the factor  $a_{22}a_{23}a_{21}$

$a_{13}a_{23}a_{12}a_{22}a_{11}a_{21}$ . substitute  $a_{2i}^2 \rightarrow a_{3i}^1a_{2i}^2, i = 1, 2, 3, a_{2i}^3 \rightarrow a_{3i}^2a_{2i}^3, i = 2, 3$  and  $a_{21}^3 \rightarrow a_{31}^2a_{21}^3a_{32}^3a_{33}^3a_{31}^3$ .

Therefore,  $w_{2,3} = a_{12}a_{13}a_{23}a_{11}a_{13}a_{22}a_{12}a_{21}a_{11}a_{32}a_{22}a_{33}a_{23}a_{31}a_{21}a_{13}a_{33}a_{23}a_{12}a_{32}a_{22}a_{11}a_{31}a_{21}a_{32}a_{33}a_{31}$  and  $B_{2,3}$  is 3-word representable.

Assume  $n = 4$ , add the paths  $a_{31}a_{41}a_{42}a_{32}$  and  $a_{31}a_{41}a_{43}a_{33}$  to  $w_{2,3}$ . In  $w_{2,3}$ , we have the factor  $a_{32}a_{22}a_{33}a_{23}a_{31}a_{21}a_{13}a_{33}a_{23}a_{12}a_{32}a_{22}a_{11}a_{31}a_{21}a_{32}a_{33}a_{31}$ . Now substitute  $a_{3i}^1a_{2i}^2 \rightarrow a_{3i}^1a_{2i}^2a_{4i}^1, i = 1, 2, 3, a_{3i}^2a_{2i}^3 \rightarrow a_{3i}^2a_{4i}^2a_{2i}^3, i = 2, 3$  and  $a_{31}^3 \rightarrow a_{41}^2a_{31}^3a_{42}^3a_{43}^3a_{41}^3$ .

Therefore,  $w_{2,4} = a_{12}a_{13}a_{23}a_{11}a_{13}a_{22}a_{12}a_{21}a_{11}a_{32}a_{22}a_{42}a_{33}a_{23}a_{43}a_{31}a_{21}a_{41}a_{13}a_{33}a_{43}a_{23}a_{12}a_{32}a_{42}a_{22}a_{11}a_{31}a_{21}a_{32}a_{33}a_{41}a_{31}a_{42}a_{43}a_{41}$ . More generally, the 3-word-representation  $w_{2,n}$  of  $B_{2,n}$  from  $w_{2,n-1}$  of  $B_{2,n-1}$  is derived by using the following substitutions.

when  $j = \text{even}$  substitute,

- i)  $a_{3i}^1a_{2i}^2a_{5i}^1a_{4i}^1a_{7i}^1a_{6i}^1, \dots, a_{n-1,i}^1a_{n-2,i}^1 \rightarrow a_{3i}^1a_{2i}^2a_{5i}^1a_{4i}^1a_{7i}^1a_{6i}^1, \dots, a_{n-1,i}^1a_{n-2,i}^1a_{n,i}^1$  for  $i = 1, 2, 3$ .
- ii)  $a_{n-1,i}^2, a_{n-3,i}^2a_{n-2,i}^2a_{n-5,i}^2a_{n-4,i}^2, \dots, a_{7i}^2a_{8i}^2a_{5i}^2a_{6i}^2a_{3i}^2a_{4i}^2a_{2i}^3 \rightarrow a_{n-1,i}^2a_{n,i}^2a_{n-3,i}^2a_{n-2,i}^2a_{n-5,i}^2, \dots, a_{7i}^2a_{8i}^2a_{5i}^2a_{6i}^2a_{3i}^2a_{4i}^2a_{2i}^3$  for  $i = 2, 3$ .
- iii)  $a_{n-1,1}^3 \rightarrow a_{n1}^2a_{n-1,1}^3a_{n,2}^3a_{n,3}^3a_{n,1}^3$ .

when  $j = \text{odd}$ , substitute

- i)  $a_{3i}^1 a_{2i}^2 a_{5i}^1 a_{4i}^1, a_{7i}^1 a_{6i}^1, \dots, a_{n-3,i}^1 a_{n-1,i}^1 \rightarrow a_{3i}^1 a_{2i}^2 a_{5i}^1 a_{4i}^1, a_{7i}^1 a_{6i}^1, \dots, a_{n-3,i}^1 a_{n,i}^1 a_{n-1,i}^1$  for  $i = 1, 2, 3$ .
- ii)  $a_{n-2,i}^2, a_{n-1,i}^2 a_{n-4,i}^2 a_{n-3,i}^2 a_{n-6,i}^2, \dots, a_{7i}^2 a_{8i}^2 a_{5i}^2 a_{6i}^2 a_{3i}^2 a_{4i}^2 a_{2i}^3 \rightarrow a_{n,i}^2 a_{n-2,i}^2 a_{n-1,i}^2 a_{n-4,i}^2 a_{n-3,i}^2, \dots, a_{7i}^2 a_{8i}^2 a_{5i}^2 a_{6i}^2 a_{3i}^2 a_{4i}^2 a_{2i}^3$  for  $i = 2, 3$ .
- iii)  $a_{n-1,1}^3 \rightarrow a_{n,1}^2 a_{n-1,1}^3 a_{n,2}^3 a_{n,3}^3 a_{n,1}^3$ .

Thus  $B_{2,n}$  is 3-word-representable.

Similarly from  $B_m$ , we can derive the representation for  $B_{m,n}, m \geq 3$  using the following substitutions

when  $j = \text{even}$  substitute,

- i)  $a_{3i}^1 a_{2i}^2 a_{5i}^1 a_{4i}^1 a_{7i}^1 a_{6i}^1, \dots, a_{n-1,i}^1 a_{n-2,i}^1 \rightarrow a_{3i}^1 a_{2i}^2 a_{5i}^1 a_{4i}^1 a_{7i}^1 a_{6i}^1, \dots, a_{n-1,i}^1 a_{n-2,i}^1 a_{n,i}^1$  for  $i = 1, 2, \dots, m+1$ .
- ii)  $a_{n-1,i}^2, a_{n-3,i}^2 a_{n-2,i}^2 a_{n-5,i}^2 a_{n-4,i}^2, \dots, a_{7i}^2 a_{8i}^2 a_{5i}^2 a_{6i}^2 a_{3i}^2 a_{4i}^2 a_{2i}^3 \rightarrow a_{n-1,i}^2 a_{n,i}^2 a_{n-3,i}^2 a_{n-2,i}^2 a_{n-5,i}^2, \dots, a_{7i}^2 a_{8i}^2 a_{5i}^2 a_{6i}^2 a_{3i}^2 a_{4i}^2 a_{2i}^3$  for  $i = 2, 3, \dots, m+1$ .
- iii)  $a_{n-1,1}^3 \rightarrow a_{n,1}^2 a_{n-1,1}^3 a_{n,2}^3 a_{n,3}^3 a_{n,1}^3$ .

when  $j = \text{odd}$ , substitute

- i)  $a_{3i}^1 a_{2i}^2 a_{5i}^1 a_{4i}^1 a_{7i}^1 a_{6i}^1, \dots, a_{n-3,i}^1 a_{n-1,i}^1 \rightarrow a_{3i}^1 a_{2i}^2 a_{5i}^1 a_{4i}^1 a_{7i}^1 a_{6i}^1, \dots, a_{n-3,i}^1 a_{n,i}^1 a_{n-1,i}^1$  for  $i = 1, 2, \dots, m+1$ .
- ii)  $a_{n-2,i}^2, a_{n-1,i}^2 a_{n-4,i}^2 a_{n-3,i}^2 a_{n-6,i}^2, \dots, a_{7i}^2 a_{8i}^2 a_{5i}^2 a_{6i}^2 a_{3i}^2 a_{4i}^2 a_{2i}^3 \rightarrow a_{n,i}^2 a_{n-2,i}^2 a_{n-1,i}^2 a_{n-4,i}^2 a_{n-3,i}^2, \dots, a_{7i}^2 a_{8i}^2 a_{5i}^2 a_{6i}^2 a_{3i}^2 a_{4i}^2 a_{2i}^3$  for  $i = 2, 3, \dots, m+1$ .
- iii)  $a_{n-1,1}^3 \rightarrow a_{n,1}^2 a_{n-1,1}^3 a_{n,2}^3 a_{n,3}^3 a_{n,1}^3$ .

Hence every stacked book graph  $B_{m,n}$  is 3-word-representable.

□

**Theorem 2.5.** Every stacked book graph  $R(B_{m,n}) = 3, n \geq 2$ .

*Proof.* By Theorem 1.10, every book graph  $R(B_m) = 3, m \geq 3$ . since every stacked book graph  $B_{m,n}$  is a book graph and by Theorem 2.4,  $B_{m,n}$  is 3-word-representable for  $n \geq 3$ . Hence  $R(B_{m,n}) = 3$ . □

### 3. CONCLUSION

In this paper We discussed the Word Representation number of Book graph and stacked book graph. Book graphs are one of the hardest graphs to be represented by words among the class of bipartite graphs. which means that they may be require



longest words for its representation. Here we derived the word representation of book graph, stacked book graph.

#### REFERENCES

- [1] S.Kitaev (2016),A Comprehensive Introduction to the Theory of Word-Representable Graphs, Developments in Language Theory, (2017), 36-67.
- [2] Marc Glen, Sergey Kitaev and Artem Pyatkin, On the representation number of a crown graph, Discrete applied mathematics, Volume 244, 89-93 (31 July 2018).
- [3] M.Halldorsson,S.Kitaev, A.Pytkin, Semi-transitive orientations and word-representable graphs, Discrete applied Mathematics, Volume 201, 164-171(Springer, 11 Mar 2016).
- [4] S.Kitaev, V.Loizin. Words and graphs.(Springer, 2015).
- [5] Bas Broere, Word-Representable graphs, 2018.