

## A Study in Integrated System of Power Line Communication & Visible Light Communication

ANJU K N<sup>1</sup>, SHYJU Y<sup>2</sup>

<sup>1</sup>M.Tech Scholar, ECE Department, SNGCE, Kadayirippu, Kerala, India)  
<sup>2</sup>Assoc. Professor, ECE Department, SNGCE, Kadayirippu, Kerala, India)

**Abstract:** Visible light communication based on LEDs is an eco-friendly IT green technology. Light-emitting diode (LED) is the main part of visible light communication. The optical wireless communication provides many advantages, such as being license-free, high directional channel, and electromagnetic interference (EMI) free. Meanwhile, in power line communication we are using the power lines as a medium for communications, that is here power lines are carrying the data. PLC technology could provide the consumer with a spectrum of services such as Internet, home entertainment and home automation. Dealing with very high voltages and its isolation is a problem of PLC. Also power line communication is affected by a number of noises, it make the communication system a worst one. A solution to this problem is proposed by combining Power Line Communication and Visible Light Communication.

**Keywords-**Power Line Communication, Visible Light Communication, White LED

### I. INTRODUCTION

Visible Light Communication (VLC) system based on white LEDs has emerged as an eco-friendly IT green technology using THz visible light spectrum in provision of both lighting and wireless access. Installation of new communication cables between other fixed network (PC, Set-Top Box, fiber networks, etc.) and LED lights is expensive, disruptive and time consuming process. Meanwhile, the power line communications (PLC) can make it possible to use the power lines as the medium of communications. The utilities of home networking over power lines can take advantage of the existing wiring infrastructure for provision of illumination cum communication. The integrated system of VLC and PLC is a smart way of fulfilling the premise of broadband access for home networking, while providing efficient and low-cost lighting. To achieve the higher data rates (MHz), PLC channel is simulated using DMT-QAM modulation scheme. The idea of integration of these two systems for indoor networking which was based on single carrier modulation then to improve their old system to overcome the effects of power-line noises they used multicarrier modulation (OFDM) method. A simple on-off keying (OOK) modulation scheme is employed for IM/DD VLC channel




Fig 1: Integrated System of Power Line Communication And Visible Light Communication [7]

The integrated system of VLC and PLC is a smart way of fulfilling the premise of broadband access for home networking, while providing efficient and low-cost lighting. To achieve the higher data rates (MHz), PLC channel is simulated using DMT-QAM modulation scheme. The discrete multi-tone (DMT) modulation

using 16-QAM is applied for PLC and VLC channel with presence of noises. A simple on-off keying (OOK) modulation scheme is employed for IM/DD VLC channel.

## II. POWER LINE COMMUNICATION

Power line communication (PLC), as the name suggests, provides connectivity using existing power lines as the communications medium. There are many different types of systems (and terminologies) associated with PLC, and nearly as many standards. Furthermore, there are technologies aimed at in-building or in-home use, those aimed at external electrical plant use, and those that support both. Power line communication systems operate by adding a modulator carrier signal to the wiring system. Different types of powerline communications use different frequency bands. Broadband powerline communications systems, also known as powerline telecommunications (PLT) systems or broadband powerline (BPL) systems, are a new type of powerline communications (PLC) system capable of providing significantly higher data rates than previous PLC systems. They have the potential to provide simplified in-house interconnection of computers and peripherals, and cost effective last-mile delivery of broadband data services. PLC systems consist of terminal devices that are plugged into or attached to the electrical power supply network and allow data to be transmitted via the network to other terminal devices plugged into or attached to the network. The use of the existing electrical power supply network wiring reduces costs and provides convenient access to broadband interconnection between devices. Historically, powerline communications systems had been limited to relatively low data rates - typically less than 500 kbit/s. These low data rate systems are still in use and are used in such applications as the remote control of switches in domestic installations and by power supply authorities.

The wiring in place to supply electrical power to, and within, homes and offices was not designed to carry high-speed data at high frequencies. It was designed to carry large currents at high voltages alternating at 50 or 60 Hertz so that significant amounts of energy could be delivered conveniently to consumers, at one primary very low frequency. Powerline communications systems can "piggyback" on this wiring - subject to various limitations - to provide connections between their terminals. As this wiring is not shielded, radiofrequency signals passing along it are in part, and unavoidably, radiated from it. One issue then is whether these radiated signals might interfere with radio communications. Impedance mismatching of devices connected to the network can result in significant signal loss (nulls) at particular frequencies, which will inhibit the use of those frequencies for communications. Many electrical devices which are connected to the power mains inject significant noise back onto network. The characteristics of the noise from these devices vary widely. Examination of the noise from a wide range of devices leads to the observation that the noise can be classified into just a few categories: Impulse noise (at twice the AC line frequency), Tonal noise, High frequency impulse noise. It is often useful to divide tonal noise into the two sub-categories of unintended and intended interference. The most common sources of unintended tonal noise are switching power supplies. These supplies are present in numerous electronic devices such as personal computers and electronic fluorescent ballasts.

Background noise is considered to be Additive White Gaussian Noise (AWGN)  $W_k$  for PLC analysis. The impulsive noise is given by:

$$i_k = b_k * g_k \quad (1)$$

Where,  $b_k$  is the Poisson process which is the arrival of the impulsive noise,  $g_k$  is the white Gaussian process with mean zero and variance  $2\sigma^2$ . That is Gaussian noise of magnitude varying up to 35 dB and is distributed among data bits complying Poisson distribution.  $b_k$  is the probability of getting hit by noise and  $g_k$  is the random variable denoting the varying amplitude of noise. The total noise  $n_k$  is given by:

$$n_k = W_k + i_k \quad (2)$$

Arrival of the impulsive noise follows the Poisson process with a rate of R units per second, so that the event of k arrivals in t seconds has the probability distribution as:

$$P_k(t) = e^{-\lambda t} (\lambda t)^k / k! \quad (3)$$

Let  $a_k$  be the received signal, and then the transmitted signal  $r_k$  is given by:

$$r_k = a_k + n_k \quad (4)$$

Signal power and BER of received signal depends upon the path followed and the length of the path. Multipath propagation is also responsible for delay ( $\tau_i$ ) in PLC, which is given by:

$$\tau_i = \frac{d_i}{c_0} \sqrt{\epsilon_r} = \frac{d_i}{v_p} \quad (5)$$

$d_i$  is the length of path,  $c_0$  is speed of light and  $\epsilon_r$  is dielectric constant of insulating material.

$$H(f) = \sum_{i=1}^N g_i e^{-(a_0 + a_1 f^k) l_i} e^{-j2\pi f \tau_i} \quad (6)$$




Fig 2: The block diagram for DMT scheme for PLC [11]

Where,  $g_i$  is a weighting factor representing the product of the reflection and transmission factors along the path.  $a_{0,1}$  are constants. The variable, representing the delay introduced by the path which is calculated by dividing the path length  $l_i$  by the phase velocity  $v_p = 150 \times 10^6$  m/sec and  $N$  is the total number of reflection paths.

### III. NOISES AFFECTING SYSTEM OF PLC AND VLC

The noise affecting the integrated system of power-line communication and visible light communication are

- colored background noise
- narrow band noise
- periodic impulsive noise asynchronous to the mains frequency
- periodic impulsive noise synchronous to the mains frequency
- asynchronous impulsive noise
- Shot noise
- Thermal noise

The first five types of noises are power-line channel noises and rest two are visible light communication noises.

The first three types of noise generally stay over long periods of time. Colored background noise and narrow band noises can be summarized as background noise. The next two types are time varying and can be summarized as impulsive noise. Impulsive noise has a random occurrence and its duration varies from a few microseconds to milliseconds. This periodic impulsive noise interfered with the transmitted OFDM signals affect the system performance. So these impulsive noises must be removed to improve the performance of the PLC system. The power line noises are the summation of background noise and impulsive noises.

- Coloured background noise-It is caused by summation of multiple sources of noises with low power and intensity. Its power spectral density decreases with increasing frequencies. Parameters of noise vary over time in terms of minute or hours
- Narrow band noise-consists of amplitude modulated sinusoidal signals which is caused by broadcasters, radio stations etc. This type occupies several sub-bands which are relatively small and continuous over the frequency spectrum. Amplitude generally varies over the day time and becoming higher at night when reflection properties of atmosphere becomes stronger.
- Periodic impulsive noise asynchronous to mains frequency-It is a kind of impulsive noise which is caused by switched-mode power supplies. Usually have repetition rate between 50 and 200KHz and which results in the spectrum with discrete lines with frequency spacing according to the repetition rate. Because of higher repetition rate this noise occupies frequency that are close to each other.

- Periodic impulsive noise synchronous to mains frequency: which is mainly caused by switching actions of rectifier diodes found in many electrical appliances. Repetition rate 50 or 100KHz. These noises are of short duration in the order of micro seconds. Power spectral density decreases with frequency. Generally caused by power supply operating synchronously with the mains frequency
- Asynchronous impulsive noise: which caused by switching transients in the power network. Have duration from of some micro seconds upto a few milliseconds. Power spectral density can reach values of more than 50dB above the background noise, making them the principle cause of error occurrence in digital communication over PLC networks.

It is well known that the error performance of a communication system can be improved by using error control coding schemes such as BCH, Reed-Solomon (RS), Low Density Parity Check (LDPC) and convolution codes. Channel coding is a good way to combat with noise and improve the bit error rate of a system.

The noise affecting the VLC channel ( $N_{Total}$ ) contains a shot noise component and a thermal noise component,

$$N_{Total} = \sqrt{N_{Shot}^2 + N_{thermal}^2} \quad (7)$$

The shot noise is proportional to the total optical noise power incident on the receiver. The effect of the shot noise can be minimized by using optical filters, but still this remains a perturbing noise source, limiting the communication's performances. In day-time outdoor communications, shot noise is the dominant noise component.

$$N_{Shot} = 2qIB \quad (8)$$

Where  $q$  is the electronic charge ( $q=1.602 \times 10^{-19}$  coulombs),  $B$  is the detector bandwidth and  $I$  is the produced photocurrent.

The thermal noise is represented by the preamplifier noise, and is the predominant noise source in the absence of background light.

$$N_{thermal} = \frac{4KTB N_{circuit}}{R} \quad (9)$$

Where  $K$  is Boltzmann's constant ( $k=1.381 \times 10^{-23}$ ),  $T$  is the temperature,  $N_{circuit}$  is the circuit noise, and  $R$  is the load resistance.

Both the shot noise and the thermal noise are signal-independent and Gaussian. Under these conditions, the total noise affecting the VLC channel can be modeled as signal-independent Gaussian noise.

Background optical noises can affect the performance of VLC significantly. Scenarios may happen when the LED lamps and conventional fluorescent lamps or AC-LED lamps consist in the same place. The background noise mitigated by using white LED OFDM VLC. 64 OFDM subcarriers were used (each subcarrier was in 4-QAM). The transmission data rate was 12Mbps and the B.W was 6.25MHz. The OFDM carrier spacing was 97.66KHz. A fluorescent lamp was used to produce different optical interference noise powers. The gas discharge lamps, like the fluorescent lamps needed a ballast to operate. The ballast convert the main supply 60Hz frequency to higher frequencies for efficient lightning. The fluorescent lamp had a dominant frequency tone at 90KHz, and harmonic tones at 180, 270KHz.

#### IV. CONCLUSION

White LED offers advantageous properties such as high brightness, reliability, lower power consumption and long lifetime. Indoor optical wireless communication systems employing white LED lighting have been proposed. This system will enable high quality of service by the high radiation power from this lighting equipment. And, this system does not cause or suffer from radio or electromagnetic interference. But, it is

difficult for existing offices and households to install the communication cable to the ceiling. In this paper, an easy wiring system for optical communication using the existing power-line is proposed. This system is emitted as visible-light from LED lighting according to the transmitted signal waveform without demodulating the signal from the power-line. This system is expected to be applicable from the existing illuminant easily like exchanging electric bulbs. This integrated system will surely have a big impact as a new signal transmission system and its economical effect will be great. The basic performance of this system is analyzed. The actual system is built and its feasibility is shown through experiments.

### REFERENCES

- [1] Alin-MihaiCailean, BarthélemyCagneau, Luc Chassagne "Evaluation of the noise effects on Visible Light Communications using Manchester and Miller coding" 12th International Conference on development and application systems, Suceava, Romania, May 15-17, 2014Ding, W. and Marchionini, G. 1997 A Study on Video Browsing Strategies. Technical Report. University of Maryland at College Park.
- [2] Kaiyun Cui, Gang Chen, Qunfeng He, ZhengyuanXu "Indoor optical wireless communication by ultraviolet and visible light "
- [3] Krishna Prasad Pujapanda "LiFi Integrated to Power-lines for Smart Illumination cum Communication" 2013 International Conference on Communication Systems and Network Technologies
- [4] P. Amirshahi (Member) and M. Kavehrad (FIEEE) "Broadband Access over Medium and Low Voltage Power-lines and use of White Light Emitting Diodes for Indoor Communications"
- [5] SayedEhsanAlavi, Abu Sahnah M. Supa, Sevia M. Idrus "Integrated System of Visible Free Space Optic with PLC" Proceedings of the 2009 IEEE 9th Malaysia International Conference on Communications 15 -17 December 2009 Kuala Lumpur MalaysiaBrown, L. D., Hua, H., and Gao, C. 2003. A widget framework for augmented interaction in SCAPE.
- [6] S.E.Alavi,A.S.M.Supa, S.M.Idrus, S.K.Yusof "New Integrated System of Visible Free Space Optic with PLC" third workshop on power line communications, october 1-2, 2009, udine, Italy
- [7] Toshihiko komine and Masao Nakagawa "integrated system of visible light communication and powerline communication"
- [8] Mostafa Z. Afgani, Harald Haas, HanyElgala, and DietmarKnipp "Visible Light Communication Using OFDM"
- [9] Phil Sutterlin and Walter Downey "A Power Line Communication Tutorial -Challenges and Technologies"
- [10] Dominic C. O'Brien, Lubin Zeng, Hoa Le-Minh, Grahame Faulkner, Joachim W. Walewski,SebastianRandel "Visible Light Communications: challenges and possibilities"
- [11] YangpoGao "Power line communications: Channel characterization and modem design"
- [12] Kahn And Barry" Wireless Infrared Communications"
- [13] Broadband Powerline Communications Systems A Background Brief
- [14] Aderemi A. Atayero, Adeyemi A. Alatishe, and Yury A. Ivanov, Members, IAENG "Power Line Communication Technologies: Modeling and Simulation of PRIME Physical Layer" Proceedings of the World Congress on Engineering and Computer Science 2012 Vol II WCECS 2012, October 24-26, 2012, San Francisco, USA
- [15] Utility Communications Power Line Carrier Communication Design and Engineering